## 10056 TUBE SWING






## **TECHNICAL DATA:**

Top view with falling area

400 100

	0.54 1.00
Device dimensions:	0,76m x 1,00m
Device height:	~1,05m
Minimum space:	4,00 x 3,76m
Critical fall height:	0,60m
Falling area:	13,11m <sup>2</sup>
Depth of foundations:	-0,60m



The device according to EN 1176-1:2012 Playground equipment and surfacing – Part 1: General safety requirements and test methods.

## Safety surfaces:

- turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height



## MATERIALS:

Tube:	made of HDPE,
Steel elements:	galvanized steel, powder coated
Caps:	plastic
Foundation base:	steel structure
Foundations:	concrete class min. C12/15



Certificate beholder: Producer: Distributor:

 SATERNUS DISTRIBUTION Sp. z o.o. sp.k.
 GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A. Saternus Production Sp. z o.o. sp. k. Saternus Distribution Sp. z o.o. sp. k.