

TECHNICAL DATA:

Not easy accessible device, according to standard EN 1176-1:2017


Device dimensions:7,11 x 2,88mDevice height:3,70mMinimum space:11,05 x 6,38mFalling area:48,47m²Critical fall height:2,20mFoundations depth:-0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 300+100mm
- synthetic surface according to critical fall height

Top view with falling area



COMPONENTS:		MATERIALS:	
Tower with roof, platform 1,36m: Slope gangway 1,36m: Slide 1,36m: Slope ladder: Vertical rope net:	1 pc 1 pc 1 pc 1 pc 1 pc	Construction poles: Anchors:	glued laminated pine timber, rounded at the edges, varnish painted dark brown galvanized steel
		Flat decorative elements:	HDPE sheets,
		Platforms, gangways:	impregnated pinewood boards,
			with machined anti-skid surface,
		Steel elements:	galvanized steel,
			powder coated
		Surface of slope slide:	stainless steel,
		Ropes:	polypropylene braided with a steel,
			interconnected by plastic fasteners
		Caps:	plastic
		Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A. Saternus Production Sp. z o.o. sp. k. Saternus Distribution Sp. z o.o. sp. k.