


TECHNICAL DATA:

Not easy accessible device,
according to standard EN 1176-1:2017


Device dimensions:	4,21x4,38m
Device height:	3,70m
Falling area:	Ø7,70m
Minimum space:	46,57m ²
Critical fall height:	1,50m
Foundations depth:	-0,70/-0,80m

Top view with falling area



The device according to EN 1176-1:2012
Playground equipment and surfacing – Part 1:
General safety requirements and test methods

Safety surfaces:
- turf/topsoil, sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height



MATERIALS:

Construction pole:	steel profile, galvanized, powder coated
Rope net:	polypropylene braided with a steel, interconnected by plastic fasteners
Horizontal traverses	steel profile, galvanized
Spanning element:	steel tubes, coated with ropes
Climbing wall:	plastic
Rungs:	wooden cross-bars varnished, coated with glue paint
Caps:	plastic
Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate beholder:
Producer:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.
Saternus Production Sp. z o.o. sp. k.

Distributor:

Saturnus Distribution Sp. z o.o. sp. k.