




TECHNICAL DATA:

Easily accessible device,
according to standard EN 1176-1:2017


Device dimensions:	2,27 x 0,90m
Device height:	0,90m
Minimum space:	5,27 x 3,90m
Falling area:	18,60m ²
Critical fall height:	0,90m
Foundations depth:	-0,60m

Top view with fallingarea



The device according to EN 1176-1:2012
Playground equipment and surfacing – Part 1:
General safety requirements and test methods.

- Safety surfaces:
- turf/topsoil, sand, gravel, bark, synthetic surface
 - minimal thickness for loose particulate materials 200+100mm
 - synthetic surface according to critical fall height



COMPONENTS:

Climbing wall 0,90m	2 pcs.
Platform with handles	1 pc.
Side panel	2 pcs.
Bench	2 pcs.

MATERIALS:

Steel elements:	galvanized steel, powder coated
Flat decorative elements:	HDPE sheets, 15mm thick
Climbing walls:	shuttering waterproof plywood, climbing grips, based on resins
Caps:	plastic
Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o.
sp.k.
ul. Nowa 32
41-500 Chorzów, Poland

Certificateholder:
Producer:
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.